



1350 South M Street, Lakeview, OR 97630 ◊ [sales@gretchken.com](mailto:sales@gretchken.com) ◊ Phone: 541-947-2602 Fax: 541-947-2608

"We manufacture high quality acoustic products at affordable prices."

*Noise control made easy!*

*We give you a lot of FREE Choices & Options!  
So you can design your perfect booth to fit your room.*

- Acoustic products & supplies
- Isolation Booths & Custom manufacturing of sound booths, boxes, barriers, acoustic foam, panel systems, & more.
- Large & small projects welcome.

"When you buy a sound booth from us, you can **Trust** that you are getting the best & most effective sound isolation from a portable booth your money can buy."

We are one of the **leaders the industry**, for innovative custom crafted sound isolation booths & noise control systems.

**"We are the ones the others are trying to catch up to!"**

## Sound Isolation Booth

We use exclusive "State of the Art" materials!

This means our booths are lighter in overall weight, but have more than twice the sound reduction than most other booths in its class!

### Exclusive Features:

- We Can Customize Any Booth to meet your needs!
- Heavy duty cam door closure
- Low profile ventilation systems
- Easy connector channels
- No Hardware or extra parts required on most booths
- Quick & easy assembly
- Simple Sleek design & elegant look.
- Wide range of sizes & styles
- Modular & Portable
- Portable units make assembly & disassembly a snap!
- Professional & Reliable Performance.
- Compression door sealing system



### Applications for Isolation Booths:

- Recording
- Music/Band practice
- Voiceovers
- Broadcasting
- Industrial testing
- Quiet loud machinery
- Industrial Projects
- Private Conferences
- Cell Phone Booths
- Software Audio
- Hearing Testing
- Audiometric Booth
- Laboratories
- Language studies
- Karaoke
- Sound testing
- Trade Shows
- Language Studies
- Interpretation Booths
- Libraries
- Manufacturing
- Government & Military
- And more!



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

**GK Standard Model: "NEW & IMPROVED"**

GK Standard Model is modular and overall its weight is fairly heavy, but not unreasonable. Excellent Choice for those wanting modular booths but in a more permanent situation, where moving it will only be once and a while. Starting Weights at 1000 lbs and up.

- 4' x 4' x 7' 2" - \$4,288
- 4' x 6' x 7' 2" - \$4,944
- 4' x 8' x 7' 2" - \$5,444
- 6' x 6' x 7' 2" - \$5,822
- 6' x 8' x 7' 2" - \$6,488
- 8' x 8' x 7' 2" - \$8,244

Other Sizes Available  
Standard Booths Can Be Manufactured to Custom Sizes and Specifications.

**Exterior:** Acoustic Fabric. Basic colors: Charcoal, Silver, or Black.  
Other custom colors available -Ask  
**Interior:** 2" thick, Charcoal Polyurethane Acoustic Foam.  
Other custom acoustic foam colors available -Ask  
**Floor:** Grey Acoustic Carpet  
**Walls:** 3" total wall thickness  
**Connectors:** Heavy Duty, Connector Channels.  
Once assemble, the booth is very strong and sturdy.  
**Accessories:** 1'x2' window in door, Ventilation System, "LED" Interior Light with on/off switch on light, Exclusive Compression Door Seal System, Cam door closure system with lock, and 2" cable passage tubes.

**GK Professional Model: "NEW & IMPROVED"**

GK Professional Model is the same as the Standard Model except for the interior. The interior of this Professional Model is lined with 2" thick flat polyurethane acoustic foam which is covered in Acoustic Fabric, making for a very professional look. Starting Weights at 1100 lbs and up.

- 4' x 4' x 7' 2" - \$5,388
- 4' x 6' x 7' 2" - \$6,044
- 4' x 8' x 7' 2" - \$7,144
- 6' x 6' x 7' 2" - \$7,588
- 6' x 8' x 7' 2" - \$8,244
- 8' x 8' x 7' 2" - \$8,688

Other Sizes Available  
Professional Booths Can Be Manufactured to Custom Sizes and Specifications.

**Exterior:** Acoustic Fabric. Basic colors: Charcoal, Silver, or Black.  
Other custom colors available -Ask  
**Interior:** 1.5" thick Flat Polyurethane Acoustic Foam wrapped in Acoustic Fabric.  
basic colors: Charcoal, Heather Grey, Silver, Black or Maroon  
**Floor:** Grey Acoustic Carpet  
**Walls:** 3" total wall thickness  
**Connectors:** Heavy Duty, Connector Channels.  
Once assemble, the booth is very strong and sturdy.  
**Accessories:** 1'x2' window in door, Ventilation System, "LED" Interior Light with on/off switch on light, Exclusive Compression Door Seal System, Cam door closure system with lock, and 2" cable passage tubes.

**GK Double Deluxe: "NEW & IMPROVED"**

For Maximum Sound Reduction go with the GK Double Deluxe Models are modular but are manufactured from denser and heavier materials which create a high level of sound isolation. This is important for those dealing with mid to lower Bass Frequencies, like Drums, Bass or Electric Guitars, Loud Machinery or who need to block noises that are hard to isolate. Starting Weights at 1400 lbs and up.

- 4' x 4' x 7' 2" - \$6,488
- 4' x 6' x 7' 2" - \$7,144
- 4' x 8' x 7' 2" - \$8,244
- 6' x 6' x 7' 2" - \$9,788
- 6' x 8' x 7' 2" - \$10,444
- 8' x 8' x 7' 2" - \$10,888

Other Sizes Available  
Premium Booths Can Be Manufactured to Custom Sizes and Specifications

**Exterior:** Acoustic Fabric. Basic colors: Charcoal, Silver, Black or Maroon.  
Other custom colors available - Ask  
**Interior:** Your choice of interior types:  
1. Standard Interior: 2" thick, Charcoal Polyurethane Acoustic Foam.  
2. Professional Interior: 1.5" flat acoustic foam wrapped in Acoustic Fabric  
**Floor:** Grey Acoustic Carpet  
**Walls:** 3.25" total wall thickness  
**Connectors:** Heavy Duty, Connector Channels.  
**Accessories:** 1'x2' window in door, Ventilation System, "LED" Interior Light with on/off switch on light, Exclusive Compression Door Seal System, Cam door closure system with lock, and 2" cable passage tubes.

The data published above reflects the average with a tolerance of +/- 3 dB.  
Sound Isolation booths help to reduce noise volume. They are not "Sound proof".

**Remember:**

We can customize the Shape & Size of your sound isolation booth/box, including Door Width and Location. We can also add additional windows, change location of windows, additional lights, increase Ventilation CFM (air) output, choose different Interior acoustic foam colors, and Exterior fabric colors. We can custom manufacture special wall configurations or anything else you require, to fit your noise reduction needs.

Don't be afraid to ask, customizing may be less expensive than you think!  
Call Us Toll Free: 1-888-833-1554



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

**Additional Options: (location of these items are your choice)**

If you are looking for any additional features that are not listed below, Ask.  
We can custom manufacture just about anything.

<p><b>Windows: (Installed Cost)</b> 1'x2' - \$255 2'x2' - \$300 2'x3' - \$375 3'x3' - \$425 Location Options available also - No Charge. <b>We also have an Upgrade Option:</b> <b>Clear Vinyl Barrier</b> that goes over the window (on the inside of the booth) for additional sound reduction for the window. 1'x2' - \$115 2'x2' - \$165 2'x3' - \$185 3'x3' - \$200</p>	<p><b>Anti-Vibration PVC/Nitrile Rubber Mats:</b> For Vibration Isolation 4'x4' - \$180 4'x6' - \$270 4'x8' - \$360 6'x6' - \$420 (two 3'x6' mats) 6'x8' - \$560 (two 3'x8' mats) 8'x8' - \$720 (two 4'x8' mats)</p>	<p><b>Exterior Fabrics:</b> At No Additional Charge you can pick these colors: <b>Black, Charcoal, Silver</b> and while in stock <b>Maroon</b>. For an additional Charge we have a wide selection of exterior color choice and Fire Rated Fabrics - Ask.</p>
<p><b>Upgrades:</b> <b>Size of Door:</b> 27" wide comes standard in all models. Upgrade to 36" wide Door for \$100 <b>Additional Options:</b> Standard Sized Door without window - \$475 Standard Sized Door with window - \$675 <b>Cable Passage Tubes</b> - \$10 ea. <b>Ventilation System</b> - \$855 ea. <b>Muffler Box for Fans on Ventilation System</b> - \$250 Ea <b>Wireless Remote Control</b> - \$35 Ea. <b>LED Lights:</b> Choices are: 24" Single Bulb, 24" Double Bulb, and 48" Double Bulb - Prices vary</p>	<p><b>Jack panel:</b> We can install Jack Panels 1/8", 1/4", XLR, BNC Any configuration desired. Price range: \$175 to \$575 depending on how many and which kinds of jacks you want per jack panel. Each Jack panel holds between 8 to 10 jacks. Such as: Four XLR and Four .25" Stereo Jacks. Or, Ten .25" Stereo Jacks, and so forth.</p>	<p><b>Interior Foams or Fabrics:</b> <b>Standard Model</b> has Convoluted "Charcoal" Polyurethane Acoustic Foam Interior <b>Premium Model</b> Booths have Fabric Covered, Flat Polyurethane Acoustic Foam <b>Double Deluxe Model</b> Booths you get to choose your interior look, either standard or Professional.</p>
<p><b>Door Hinge Direction:</b> Swinging out from the: Left or Right Your choice - Free of charge.</p>	<p><b>Custom Doors and Door Ramps</b> Our door have a 1.5" threshold lip. If you feel you need a door ramp for this lip, we have heavy duty metal ones for \$375. If you need Custom doors - Ask.</p>	<p><b>Caster Wheel Bases</b> 4'x4' - \$299 4'x6' - \$389 4'x8' - \$489 6'x6' - \$589 6'x8' - \$689 8'x8' - \$789</p>
<p><b>Ventilation Systems:</b> All models come with the Low Noise 32 dB(a) 60 CFM fan(s). Number of fans per ventilation system, and number of ventilation systems per booth depends on the booth size. Higher CFM output Fans, and custom Vent systems if needed - Ask.</p>	<p><b>Custom Door Locks and Closure systems.</b> Solid Core Doors, Solid Core Double Doors, Access Panels, Special Types of Custom Door Closures to meet your specifications - Ask.</p>	<p><b>Remote Control:</b> X-10 wireless Remotes Additional Option for Ventilation Systems - \$35 each</p>
<p><b>Ventilation Locations:</b> Wall or Roof - No Extra Charge. Make sure you have the ceiling clearance if you choose to put it on the roof. Ventilation Systems adds an additional 7" to exterior dimensions.</p>	<p><b>Custom Interior Shelves, and Mounting Blocks:</b> Interior Shelves cost varies depending on how large or complicated your shelving will be - Ask Fabric covered Interior Mounting Blocks are \$10 each.</p>	<p><b>Other: Ask</b> Custom sized booths. Custom booths with rooms within rooms, and so much more ...</p>

**The Possibilities are Endless! - Get Solid Sound Stopping Results.**



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

---

Ask about our extra options and special order features for booths:

- Additional windows in assorted sizes
- Additional “LED” Lights 24” up to 48” long – Single and Double Bulb Options
- Higher attenuation options for windows
- Go up to 8’ tall at no extra charge or cut booth height down at no extra charge.
- Custom location of Cable passages, doors, ventilation systems & windows at no extra charge
- Free color choices: Black, Charcoal, Silver, and Maroon
- Additional cable passage tubes or access ports
- Custom Doors from solid core doors, double doors, doors with gas shocks and pneumatic doors
- Additional doors, custom door sizes, or latching systems
- Wide range of upgraded Exterior fabric colors
- Custom interiors available to meet your specifications from acoustic foams to fabrics
- Custom upgraded Interior acoustic foam colors and patterns
- Additional or custom ventilation systems, and instillation locations
- Wireless Remote control for ventilation system fans
- Additional interior lights
- Custom Jack Panels (including .25" jacks, XLR, BNC's and more)
- Rubber isolation mats
- Castor wheel base
- Custom wood floors (Pergo), or Laminate Flooring available to meet your specifications.
- Custom dimension changes to meet your needs
- Custom booth shapes including unusual shapes and angles
- Reusable crates and long term transport/storage crates
- In house engineering services
- and more!

**Remember:**

We can customize your booth to meet your specifications!  
Including customizing any booths size, shape or height to meet your needs.

We can build Portable Sound Booths that are Extremely Large to Extremely Small. We can customize just about anything! Interior, Exterior, Heights, Doors, Access Panels, Ventilation Systems, and much more!.

Even wild and crazy booths like these:





1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

What You Get:	What Your booth Comes with:
<ul style="list-style-type: none"> <li>* Superb Quality &amp; Excellent workmanship.</li> <li>* One of the <b>highest</b>, most effective sound reduction ratings on the market, in its class!</li> <li>* Simple Design.</li> <li>* No hidden fees or costs.</li> <li>* Ventilation systems custom made to fit each booth size at no extra charge.</li> <li>* Honest Answers &amp; time lines. <b>"We want your trust &amp; loyalty, not just your business".</b></li> <li>* Use the latest State-of-the-art materials, exclusively manufactured by Gretch-Ken Industries, Inc.</li> <li>* Hand crafted custom work, to meet your specifications.</li> <li>* NO extra hardware or parts required for assembly of smaller booths.</li> <li>* Tight seams and corners. "No need to hide gaps, when there's not any".</li> <li>* Sturdy solid structure.</li> <li>* Modular &amp; portable panels. One of the only truly "Portable" booths on the market!</li> <li>* Lots of extra options to pick from to customize your booth.</li> <li>* We can build any booth to meet your specifications.</li> <li>* Knowledgeable staff, that keeps up with the latest technology.</li> </ul>	<ul style="list-style-type: none"> <li>* Flush Door with heavy duty Cam Door closure system.</li> <li>* Customizable doors, door sizes, handle types, and closure systems.</li> <li>* Compression door seal for optimal prevention of sound leakage.</li> <li>* Sound Deadening Window(s) – We have one of the only windows in the industry with the <b>highest STC Rating on the market!</b></li> <li>* Internal Lighting – One of the only florescent <b>lights that are completely quiet!</b> These lights have state-of-the-art electronic ballast. Gretch-Ken Industries, Inc. is the only one in the industry to have these lights in their booths.</li> <li>* 3" Cable passage tubes – your choice of locations.</li> <li>* Low profile, pre-attached ventilation system to fit your booth size, so no need to order extra ventilation systems. Your choice of location at no extra cost.</li> <li>* No hardware or extra parts needed for assembly of most booths!</li> <li>* No sound leaking gaps between panels, or extra parts to hide gaps like with other booths.</li> <li>* One of the <b>BEST</b> Standardized Sound Reduction Test Results and one of the <b>only</b> government tested booths with one of the highest NIC ratings in the industry. Which means, <b>you get solid sound stopping results.</b></li> <li>* We use "State-of-the-Art" materials. You get <u>more</u> sound reduction than most other booths in its class!</li> <li>* Your choice of Exterior Fabric colors in a wide range of colors</li> <li>* Choices of Interior foam colors.</li> <li>* Expertly Engineered for Superior Performance.</li> <li>* <b>Quality</b>, "Hand Crafted" workmanship!</li> <li>* <b>Professional look and Results!</b></li> </ul>



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

Specifications for <b>"NEW &amp; IMPROVED" Standard Model Isolation Booth</b> Specification Based on 4' x 4 Sound Isolation Booth Comes Standard with: 1'x2' Window in door, Compression Door Seal System, Cam door closure, Ventilation System, 3" Cable Passage Tube, Interior Light.		
Dimensions:	Basic sizes start at 4'x4' & up. Standard height 7'-2"	Custom booth sizes & shapes available. Larger & smaller. Extended heights also possible. Custom finishes - ASK.
Interior:	Walls & Ceiling covered in 2" thick Charcoal polyurethane acoustic foam (class 2). Floor carpeted with a grey, short pile carpet.	Fabric covered mounts attached to ceiling for lights or microphone mounts. Other foam colors, types, and patterns available as custom special orders.
Exterior:	½" thick Charcoal acoustic fabric.	Extra option: Charcoal, Black, Heather Grey, or Silver. Special Order: other acoustic fabric colors, or fire rated fabrics
Wall Thickness:	Total wall thickness 3.25"	Custom wall thickness available to meet any specifications.
Connectors:	Exclusive channel connectors (no bolts, screws or tools required for smaller booth sizes). Panels slip easily & tightly into channel connector strips.	Custom connector channels can be manufactured to meet your specifications.
Window(s):	Standard booths packages come with 1' x 2' Window in door, with five-layer insulation: 3/16" laminated glass, 1/2" Argon filled air space with rubber isolator, 1/4" glass, 7/8" air space, plus 1/8" Acrylic pane.	Extra options: 1'x2', 2'x2', 2'x3' or 3'x3', window can be added to most booths. Other window sizes can be special ordered. Such as: 1'x3', 1'x4', 2'x4', or 3'x4' and other sizes.
Door:	27" x 72" Door with our exclusive low profile compression seal system & cam door closure. Floor Level doors, No step over.	Custom door sizes & placements can be arranged. Additional doors and be added as an extra option. 36" Handicapped accessible door options also available.
Ventilation:	50 CFM and up, air circulation fan, UL approved, 110 volt, with low acoustical noise rating, circulating air through a low profile sound muffling baffle system pre-attached to exterior of isolation booth. Comes Standard with Low Noise 29 dBa Fan.	Fan CFM's and number of ventilation systems are predetermined to fit each booth size. Additional ventilation systems can be purchased. International Fan and cord kits available. Low Noise Fans available – Lowest noise rating than ever before! Rated at 29dBa (two fan vent system is rated at 39 dBa)
Interior Light;	UL Approved, 110/220 volt. "Silent" interior florescent light.	Exclusive, Electronic Ballast "Silent" Florescent light. This handsome Low profile ceiling unit has two florescent bulbs & light cover. 110/220 volt. Comes with cord & on/off switch.
Cable Passage:	One 3" diameter cable passage tube sealed with acoustic foam.	Additional cable passage tubes or access ports can be added to each booth, including your choice of location(s). Custom Jack panels with ½" & ¼" Head phone Jacks, Stereo plugs, and/or XLR Jacks.
Weight:	Starting weight 1000 lbs. & up	
Assembly time:	Approximately 20 minutes based on 4'x4'	Assembly time may vary
The 'Standard' model can outperform most other Isolation booths in its class with an astounding: <b>NIC (Noise Isolation Class) rating of 34.</b>		<b>Standardized Sound Reduction Test</b> Freq. (Hertz): 125    250    500    1000    2000    4000 Reduction (dB): 30    35    44    45    48    53



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

Specifications for <b>"NEW &amp; IMPROVED" Professional Model Isolation Booth</b> Specification Based on 4' x 4 Sound Isolation Booth Comes Standard with: 1'x2' Window in door, Compression Door Seal System, Cam door closure, Ventilation System, 3" Cable Passage Tube, Interior Light.		
Dimensions:	Basic sizes start at 4'x4' & up. Standard height 7'-2"	Custom booth sizes & shapes available. Larger & smaller. Extended heights also possible. Custom finishes - ASK.
Interior:	Walls & Ceiling covered in ½" Acoustic Fabric over 1.5" thick polyurethane acoustic foam (class 2). Colors: Black, Charcoal, Heather Grey, or Silver. Floor carpeted with a grey, short pile carpet.	Fabric covered mounts attached to ceiling for lights or microphone mounts. Other foam colors, types, and patterns available as custom special orders. Other Interior Colors and Types of Fabrics Available - Special Order.
Exterior:	½" thick Charcoal acoustic fabric.	Extra option: Charcoal, Black, Heather Grey, or Silver. Special Order: other acoustic fabric colors, or fire rated fabrics
Wall Thickness:	Total wall thickness 3"	Custom wall thickness available to meet any specifications.
Connectors:	Exclusive channel connectors (no bolts, screws or tools required for smaller booth sizes). Panels slip easily & tightly into channel connector strips.	Custom connector channels can be manufactured to meet your specifications.
Window(s):	Standard booths packages come with 1' x 2' Window in door, with five-layer insulation: 3/16" laminated glass, 1/2" Argon filled air space with rubber isolator, 1/4" glass, 7/8" air space, plus 1/8" Acrylic pane.	Extra options: 1'x2', 2'x2', 2'x3' or 3'x3', window can be added to most booths. Other window sizes can be special ordered. Such as: 1'x3', 1'x4', 2'x4', or 3'x4' and other sizes.
Door:	27" x 72" Door with our exclusive low profile compression seal system & cam door closure. Floor Level doors, No step over.	Custom door sizes & placements can be arranged. Additional doors and be added as an extra option. 36" Handicapped accessible door options also available.
Ventilation:	50 CFM and up, air circulation fan, UL approved, 110 volt, with low acoustical noise rating, circulating air through a low profile sound muffling baffle system pre-attached to exterior of isolation booth that comes Standard with our new Low Noise 29 dBA Fan.	Fan CFM's and number of ventilation systems are predetermined to fit each booth size. Additional ventilation systems can be purchased. International Fan and cord kits available. Low Noise Fans available – Lowest noise rating than ever before! Rated at 29dBa (two fan vent system is rated at 39 dBa)
Interior Light;	UL Approved, 110/220 volt. "Silent" interior florescent light.	Exclusive, Electronic Ballast "Silent" Florescent light. This handsome Low profile ceiling unit has two florescent bulbs & light cover. 110/220 volt. Comes with cord & on/off switch.
Cable Passage:	One 3" diameter cable passage tube sealed with acoustic foam.	Additional cable passage tubes or access ports can be added to each booth, including your choice of location(s). Custom Jack panels with ½" & ¼" Head phone Jacks, Stereo plugs, and/or XLR Jacks.
Weight:	Starting weight 1000 lbs. & up	
Assembly time:	Approximately 20 minutes based on 4'x4'	Assembly time may vary
The 'Professional' model can outperform most other Isolation booths in its class with an astounding: <b>NIC (Noise Isolation Class) rating of 34.</b>		<b>Standardized Sound Reduction Test</b> Freq. (Hertz): 125 250 500 1000 2000 4000 Reduction (dB): 30 35 44 45 48 53



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

Specifications for <b>"NEW &amp; IMPROVED" GK Double Deluxe Model Isolation Booth</b> Specification Based on 4' x 4 Sound Isolation Booth Comes Standard with: 1'x2' Window in door, Compression Door Seal System, Cam door closure, Ventilation System, 3" Cable Passage Tube, Interior Light.		
Dimensions:	Basic sizes start at 4'x4' & up. Standard height 7'-2"	Custom booth sizes & shapes available. Larger & smaller. Extended heights also possible. Custom finishes - ASK.
Interior:	Your Choice: Walls & Ceiling covered in 1.5" thick polyurethane acoustic foam (class 2), wrapped in Acoustic Fabric. (Or) 2" Thick Convuluted Acoustic Foam (class 2) Floor carpeted with a grey, short pile carpet.	Fabric covered mounts attached to ceiling for lights or microphone mounts. Other foam colors, types, and patterns available as custom special orders.
Exterior:	½" thick acoustic fabric. Your choice of colors.	Extra option: Charcoal, Black, Heather Grey, Silver or Maroon Special Order: other acoustic fabric colors, or fire rated fabrics
Wall Thickness:	1½" thick high-density wall with 1.5" acoustic polyurethane foam. Total wall thickness 3" to 3.5" depending on interior dressing choice.	Custom wall thickness available to meet any specifications.
Connectors:	Exclusive channel connectors (no bolts, screws or tools required for smaller booth sizes). Panels slip easily & tightly into channel connector strips.	Custom connector channels can be manufactured to meet your specifications.
Window(s):	Standard booths packages come with 1' x 2' Window in door, with five-layer insulation: 3/16" laminated glass, 1/2" Argon filled air space with rubber isolator, 1/4" glass, 7/8" air space, plus 1/8" Acrylic pane.	Extra options: 1'x2', 2'x2', 2'x3' or 3'x3', window can be added to most booths. Other window sizes can be special ordered. Such as: 1'x3', 1'x4', 2'x4', or 3'x4' and other sizes.
Door:	27" x 72" Door with our exclusive low profile compression seal system & cam door closure. Floor Level doors, No step over.	Custom door sizes & placements can be arranged. Additional doors and be added as an extra option. 36" Handicapped accessible door options also available.
Ventilation:	50 CFM and up, air circulation fan, UL approved, 110 volt, with low acoustical noise rating, circulating air through a low profile sound muffling baffle system pre-attached to exterior of isolation booth that now comes Standard with our new Low Noise 29 dBa Fan.	Fan CFM's and number of ventilation systems are predetermined to fit each booth size. Additional ventilation systems can be purchased. International Fan and cord kits available. Low Noise Fans available – Lowest noise rating than ever before! Rated at 29dBa (two fan vent system is rated at 39 dBa)
Interior Light;	UL Approved, 110/220 volt. "Silent" interior florescent light.	Exclusive, Electronic Ballast "Silent" Florescent light. This handsome Low profile ceiling unit has two florescent bulbs & light cover. 110/220 volt. Comes with cord & on/off switch.
Cable Passage:	One 3" diameter cable passage tube sealed with acoustic foam.	Additional cable passage tubes or access ports can be added to each booth, including your choice of location(s). Custom Jack panels with ¼" & ½" Head phone Jacks, Stereo plugs, and/or XLR Jacks.
Weight:	Starting weight 1400 lbs. & up (based on 4'x4')	
Assembly time:	Approximately 20 minutes based on 4'x4'	Assembly time may vary
<b>NIC (Noise Isolation Class) rating of 40.</b>		<b>Standardized Sound Reduction Test</b> Freq. (Hertz): 125 250 500 1000 2000 4000 Reduction (dB): 35 45 55 63 66 68



GK Sound Booth Catalog – Prices are for general reference and are subject to change without notice.



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

**We are proud to serve you with our superior personal service, quality hand craftsmanship, & some of the finest acoustic products on the market today!**

### **FIVE YEAR WARRANTY & INFORMATION**

#### **WARRANTY & INFORMATION**

GretchKen Industries, Inc. will warranty all Sound Isolation Booths and Sound Enclosures manufactured by GretchKen Industries, Inc. for FIVE (5) years from date of purchase. GretchKen Industries, Inc. will repair or replace, at its factory, any part that may prove to be defective in materials or workmanship. All shipping costs are the responsibility of the purchaser. This warranty does not cover damage resulting from mishandling, vandalism, misuse, abuse, alteration, or lack of reasonable care. This includes damage resulting from outdoor use. All GretchKen Industries, Inc. products are designed for indoor use only. All acoustic products are not 100% sound proof. Compliance with local and national building codes is purchaser's responsibility. The above described warranty is extended to the original owner only and is not transferable.



**Wire Transfers and Certified Checks Accepted**

**Financing option available for businesses through Leasing Companies**

**For more information or to make an order:**

**Sales Office Phone: 541-947-2602**

**Office hours 8am - 4pm Monday – Friday**  
Pacific Standard Time (West Coast USA)

**Fax: 541-947-2608**

For **FASTEST RESPONSE** E-mail: [sales@gretchken.com](mailto:sales@gretchken.com)

**In USA Call Us Toll Free: 1-888-833-1554**

GK Sound Booth Catalog – Prices are for general reference and are subject to change without notice.



**GK** GretchKen Industries, Inc.  
High Performance Acoustic Products  
Sound Isolation Booths & Noise Control  
Custom Design and Manufacturing  
[www.GretchKen.com](http://www.GretchKen.com)  
Phone: 541-947-2602

1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

---

**Standard Model** – 4'x6' (Below) – Shows Additional Window on Wall and Jack Panel under window



GK Sound Booth Catalog – Prices are for general reference and are subject to change without notice.



**GK** GretchKen Industries, Inc.  
High Performance Acoustic Products  
Sound Isolation Booths & Noise Control  
Custom Design and Manufacturing  
[www.GretchKen.com](http://www.GretchKen.com)  
Phone: 541-947-2602

1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

---

**Professional Model** – 4'x4 (Below) with Custom placment of Cable Passage Tube



GK Sound Booth Catalog – Prices are for general reference and are subject to change without notice.



1350 South M Street, Lakeview, OR 97630 ♦ [sales@gretchken.com](mailto:sales@gretchken.com) ♦ Phone: 541-947-2602 Fax: 541-947-2608

**Double Deluxe** – 6'x8' Booth with Professional Interior and Upgraded to 36" Door and two (2) Additional 2'x3' Windows in Wall.



**We manufacture Sound Isolation Booths and Enclosures.**

- Designed for easy breakdown and assembly (no tools or hardware required)
- Superior sound isolation, one of the highest NIC ratings on the market!
- Full line of professional booth models, also custom models available
- Wide variety of standard sizes, also custom size capabilities
- Custom projects, not a problem.

**We can custom manufacture sound Isolation booths to meet your specification.**  
**For more pictures and information check us out on the web: [www.gretchken.com](http://www.gretchken.com)**